



FACTORY-DIRECT CATALOG



Free Shipping on Orders of \$100 or More. See page 3 for details.



Product Index

Motor Oil	4
European Motor Oil	8
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Oil Analysis	15
ATV/UTV Oil/Snowmobile Oil	16
Dirt Bike Oil/Suspension Fluid	17
Motorcycle Oil	18
Scooter Oil	20
Briggs & Stratton Synthetic 4T Racing Oil	21
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	33
Grease	35
Air Tool Oil/ Bar and Chain Oil	37
Compressor Oil/Fuel Additives	38
Cleaners and Protectants	43
Coolant Boost/Coolant	46
Brake Fluid	48
Brake and Parts Cleaner/Power Steering Fluid	49
Waterless Wash & Wax/ Aftermarket Partners	50

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Free Shipping on orders of \$100 or more in the contiguous U.S.*

BECOME AN AMSOIL PREFERRED CUSTOMER FOR EVEN MORE GREAT BENEFITS:



Reduced Pricing
Save up to 25 percent on every order.



Free Shipping



Special Offers
Preferred Customers receive exclusive promotions.



Free Gear
Randomly receive free hats, shirts or other gear when you place an order.



P.C. Points
Earn points on all purchases. Every 50 points earned is redeemable for \$1 off a future order.



Referral Rewards
Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at www.AMSOIL.com/pc today and use this referral number. ▼

Referral # _____

*Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at www.AMSOIL.com/storefront/shippinginformation.aspx

TECHNICAL QUESTIONS

(715) 399-8324 or tech@AMSOIL.com

SHIPPING AND HANDLING

Contiguous U.S. – Free shipping on orders of \$100 or more in the contiguous U.S. Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at www.AMSOIL.com/storefront/shippinginformation.aspx.

Alaska – Add 7.5 percent to product prices for extra freight expenses. See Shipping Info at www.AMSOIL.com/storefront/shippinginformation.aspx.

Hawaii – Orders are shipped using the most cost-effective method and actual freight charges will be applied when orders are shipped. See Shipping Info at www.AMSOIL.com/storefront/shippinginformation.aspx for additional details.

Military Post Boxes – AMSOIL INC. ships orders to APO and FPO addresses for customers' personal use only. Orders are shipped using U.S. Mail Parcel Post and will be charged actual freight costs, which will be charged at the time the order is shipped. See Shipping Info at www.AMSOIL.com for additional details.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-956-5695 for instructions.

SALES TAX INFORMATION

AMSOIL INC. is required to collect state, city, county and other taxes. AMSOIL also collects any additional taxes on lubricating products required by certain states.

Prices subject to change without notice.

WHY BUY SIGNATURE SERIES?

Signature Series Delivers Powerful Protection


AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test^F. AMSOIL provided far superior wear protection and kept bearings looking like new.

^FTesting conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.



Their Oil

AMSOIL



AMSOIL Resists Viscosity Increase


AMSOIL is barely challenged by the industry-standard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL delivered **twice the viscosity control** required by the standard.^{GG}

^{GG}Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

Signature Series Neutralizes Acids


AMSOIL Signature Series is fortified with a heavy treatment of detergent additive and it delivers **30% more acid neutralizing power^F** than Mobil 1*, and **36% more than Royal Purple***, helping engines to stay cleaner, longer.

^FBased upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30, Royal Purple High Performance 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased 05/03/18.



Oil Volatility

As Measured By ASTM D5800



Signature Series Helps Keep Valves Clean

AMSOIL fights volatility^J **38% better** than Mobil 1 and **17% better** than Royal Purple, helping reduce oil consumption and keep valves clean.

^JBased on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1 Advanced Synthetic 5W-20, Royal Purple High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.

Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.^B

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Signature Series Guards Turbos

Protects turbochargers **72% better** than required^C by the GM dexos1[®] Gen 2 specification.

^CBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge.^{DD}

^{DD}vs. AMSOIL OE Motor Oil^{DD}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6393 engine test for oil screen plugging as required by the API SN specification.

^FAll trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Signature Series Fights Wear
75% more engine protection

against horsepower loss and wear.^A

^ABased on independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN specification.

Ac J Amature
SIGNATURE SERIES

SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 25,000 miles or 1 year, whichever comes first.



● **0W-20**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQT	EA	1 Quart	10.00	13.30
ASMQT	CA	12 Quarts	113.90	157.50
ASM1G	EA	1 Gallon	39.25	52.00
ASM1G	CA	4 Gallons	149.35	206.25

● **5W-20**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQT	EA	1 Quart	10.00	13.30
ALMQT	CA	12 Quarts	113.90	157.50
ALM1G	EA	1 Gallon	39.25	52.00
ALM1G	CA	4 Gallons	149.35	206.25

● **0W-30**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOOT	EA	1 Quart	10.00	13.30
AZOOT	CA	12 Quarts	113.90	157.50
AZ01G	EA	1 Gallon	39.25	52.00
AZ01G	CA	4 Gallons	149.35	206.25

● **5W-30**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQT	EA	1 Quart	10.00	13.30
ASLQT	CA	12 Quarts	113.90	157.50
ASL1G	EA	1 Gallon	39.25	52.00
ASL1G	CA	4 Gallons	149.35	206.25

● **10W-30²⁴**


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQT	EA	1 Quart	10.00	13.30
ATMQT	CA	12 Quarts	113.90	157.50
ATM1G	EA	1 Gallon	39.25	52.00
ATM1G	CA	4 Gallons	149.35	206.25

● **0W-40**

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQT	EA	1 Quart	10.00	13.30
AZFQT	CA	12 Quarts	113.90	157.50

○ **5W-50**

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQT	EA	1 Quart	10.00	13.30
AMRQT	CA	12 Quarts	113.90	157.50



^ABased on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation

XL

BOOSTED ENGINE PROTECTION AND PERFORMANCE



For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. **Provides 64% more protection against oil breakdown^F than required by the GM dexos1* Gen 2 specification.** Extra protection that lasts up to 12,000 miles or 1 year, whichever comes first.

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	EA	1 Quart	7.25	9.95
XLZQT	CA	12 Quarts	82.85	117.45
XLZ1G	EA	1 Gallon	28.35	38.65
XLZ1G	CA	4 Gallons	107.95	152.90

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQT	EA	1 Quart	7.25	9.95
XLMQT	CA	12 Quarts	82.85	117.50
XLM1G	EA	1 Gallon	28.35	38.65
XLM1G	CA	4 Gallons	107.95	152.95

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQT	EA	1 Quart	7.25	9.95
XLFQT	CA	12 Quarts	82.85	117.50
XLF1G	EA	1 Gallon	28.35	38.65
XLF1G	CA	4 Gallons	107.95	152.95

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQT	EA	1 Quart	7.25	9.95
XLTQT	CA	12 Quarts	82.85	117.55
XLT1G	EA	1 Gallon	28.35	38.65
XLT1G	CA	4 Gallons	107.95	153.00

○ 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	EA	1 Quart	7.25	9.95
XLOQT	CA	12 Quarts	82.85	117.55
XLO1G	EA	1 Gallon	28.35	38.65
XLO1G	CA	4 Gallons	107.95	153.00

"Put this in my light duty, full size pickup. Noticeable difference right away. Engine quieter and clean."

— Jim P
Northern VA

^FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

OE

ADVANCED ENGINE PROTECTION

OES

OEZ

OEM

OEF

OET



Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection.⁶** Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	EA	1 Quart	5.45	7.75
OESQT	CA	12 Quarts	62.25	90.95

● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	EA	1 Quart	5.45	7.75
OEZQT	CA	12 Quarts	62.25	90.95
OEZ1G	EA	1 Gallon	21.40	30.10
OEZ1G	CA	4 Gallons	81.35	118.60

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	EA	1 Quart	5.45	7.75
OEMQT	CA	12 Quarts	62.25	91.00
OEM1G	EA	1 Gallon	21.40	30.10
OEM1G	CA	4 Gallons	81.35	118.65

● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	EA	1 Quart	5.45	7.75
OEFQT	CA	12 Quarts	62.25	90.95
OEF1G	EA	1 Gallon	21.40	30.10
OEF1G	CA	4 Gallons	81.35	118.65

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQT	EA	1 Quart	5.45	7.75
OETQT	CA	12 Quarts	62.25	91.00

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G1230	0.70	0.80

⁶Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.



PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL Synthetic European Motor Oil features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

Synthetic European Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- **Outstanding** All-Season Performance
- **Engineered** for Maximum Fuel Economy
- **Enhanced** Turbocharger Protection

"My engine sounds better than it ever has. My BMW* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

— **Tom**
Atlanta, Ga.

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

EUROPEAN MOTOR OIL



● OW-20 LS-VW Synthetic European Motor Oil¹³

API SN-PLUS, SN... • ACEA C5 • VW 508.00/509.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EZTQT	EA	1 Quart	9.35	11.55
EZTQT	CA	12 Quarts	106.50	136.90

● OW-20 LS Synthetic European Motor Oil

API SN-PLUS (Resource Conserving), SN, SM... • ILSAC GF-5 • ACEA C5, A1/B1 • BMW LL-17FE+ • MB 229.71 • Ford WSS-M2C947-B1 • Opel/Vauxhall OV0401547 • Fiat 9.55535-GSX • Chrysler MS-12145 • Volvo VCC RBS0-2AE

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQT	EA	1 Quart	8.10	10.00
AFEQT	CA	12 Quarts	92.30	118.80

● OW-40 FS Synthetic European Motor Oil

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQT	EA	1 Quart	8.85	11.85
EFOQT	CA	12 Quarts	100.80	140.50

● 5W-30 LS Synthetic European Motor Oil¹³

Manufacturer Approvals: VW 504.00/507.00

Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 • Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQT	EA	1 Quart	10.65	14.05
AELQT	CA	12 Quarts	121.15	166.70
AEL1G	EA	1 Gallon	41.75	55.05
AEL1G	CA	4 Gallons	159.00	218.55

● 5W-40 MS Synthetic European Motor Oil

Manufacturer Approvals: MB-Approval 229.51 • Porsche A40

Use in vehicles that require ACEA C3 • API SN/SM/CF... • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • VW/Audi 502.00/505.01

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQT	EA	1 Quart	9.45	12.60
AFLQT	CA	12 Quarts	107.45	149.10
AFL1G	EA	1 Gallon	36.95	49.20
AFL1G	CA	4 Gallons	140.70	195.05

○ 5W-40 FS Synthetic European Motor Oil¹³

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • Renault 0710, 0700

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQT	EA	1 Quart	6.85	9.45
EFMQT	CA	12 Quarts	78.15	111.45
EFM1G	EA	1 Gallons	26.95	36.90
EFM1G	CA	4 Gallons	102.50	146.00

¹³See page 51 for Proposition 65 information for this product.

BUILD IT.

CRUISE IT.



○ Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 4-oz. Tube	7.65	9.80
EALTB	CA	(12) 4-oz. Tubes	87.15	116.30

● Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	EA	1 Quart	6.80	9.40
BRKQT	CA	12 Quarts	77.50	110.90

Z-ROD[®] Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	EA	1 Quart	9.00	12.05
ZRTQT	CA	12 Quarts	102.55	143.00

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	EA	1 Quart	9.00	12.05
ZRDQT	CA	12 Quarts	102.55	143.00

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	EA	1 Quart	9.35	12.50
ZRFQT	CA	12 Quarts	106.65	148.35



*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

¹⁷See page 51 for Proposition 65 information for this product.

AMSOIL Delivers Superior Rust Protection



In industry-standard testing, AMSOIL Z-ROD[®] completely prevented rust formation while a leading competitor did not.^{JJ}

^{JJ}Based upon in-house testing of AMSOIL Z-ROD 10W-40 and a leading competitor obtained on 7/25/2019 in ASTM D1748-10.

RACE IT.

**PRODUCTS
THE
PROS USE**



"AMSOIL products are the best on the market and definitely give us an added performance factor."

Bryce Menzies
Professional Off-Road Driver

DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

● 5W-20¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	1 Quart	11.15	14.70
RD20QT	CA	12 Quarts	127.30	174.75

● 10W-30¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	1 Quart	10.80	14.25
RD30QT	CA	12 Quarts	123.05	169.35

● 15W-50¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	EA	1 Quart	11.35	14.95
RD50QT	CA	12 Quarts	129.35	177.45
RD501G	EA	1 Gallon	44.60	58.65
RD501G	CA	4 Gallons	169.90	232.85

● SAE 60¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	1 Quart	11.70	15.35
RD60QT	CA	12 Quarts	133.25	182.55

¹⁷See page 51 for Proposition 65 information for this product.



● 20W-50 Synthetic Competition Diesel Oil

Delivers 50% more film thickness⁹ to withstand high cylinder pressures and protect against wear.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCOQT	EA	1 Quart	9.25	12.45
DCOQT	CA	12 Quarts	105.25	147.65
DCO1G	EA	1 Gallon	36.20	48.70
DCO1G	CA	4 Gallons	137.80	193.15



⁹Compared to the 3.5 cP HTHS limit for SAE 15W-40.

AMSOIL Fights Wear

AMSOIL delivers **powerful engine protection**. How good is it? In independent testing compared to a leading brand, AMSOIL provided long-lasting wear protection, **keeping cylinder liners looking like new.**^{DD}



^{DD}Based on independent testing of AMSOIL 5W-30 Signature Series Max-Duty Synthetic Diesel Oil and a leading conventional 15W-40 diesel oil using the Detroit Diesel[®] DD13 Scuffing test for specification DFS 93K222. All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.¹ Delivers up to 60% better turbo cleanliness¹ and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.^K

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	1 Quart	9.30	12.50
DHDQT	CA	12 Quarts	106.00	148.10
DHD1G	EA	1 Gallon	36.45	48.90
DHD1G	CA	4 Gallons	138.85	193.75
DHDTP	EA	(1) 2.5 Gallon	90.05	119.10
DHDTP	CA	(2) 2.5 Gallons	171.45	236.10

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1G	EA	1 Gallon	34.00	45.60
DTT1G	CA	4 Gallons	129.40	180.60
DTTTP	EA	(1) 2.5 Gallon	83.80	110.85
DTTTP	CA	(2) 2.5 Gallons	159.60	219.65

0W-40

Delivers 4X better cold-temperature performance^{EE}

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFTQ	EA	1 Quart	9.00	12.05
DZFTQ	CA	12 Quarts	102.55	142.75
DZF1G	EA	1 Gallon	35.25	47.10
DZF1G	CA	4 Gallons	134.20	186.65



5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	EA	1 Quart	8.95	12.00
DEOQT	CA	12 Quarts	102.10	142.25
DEO1G	EA	1 Gallon	35.10	46.90
DEO1G	CA	4 Gallons	133.60	185.95
DEOTP	EA	(1) 2.5 Gallon	86.55	114.30
DEOTP	CA	(2) 2.5 Gallons	164.85	226.50

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	EA	1 Quart	8.80	11.80
DMEQT	CA	12 Quarts	100.35	140.10
DME1G	EA	1 Gallon	34.50	46.20
DME1G	CA	4 Gallons	131.25	183.05
DMETP	EA	(1) 2.5 Gallon	85.05	112.50
DMETP	CA	(2) 2.5 Gallons	162.00	223.00

¹vs AMSOIL Heavy-Duty Diesel Engine Oil in the CAT C13 2nd Ring Top Land Carbon test. ^{EE}Based on industry standard testing using the NMMA FC-W Rust Test. ^Kthan required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation. ^{DD}When compared to SAE 15W-40 in ASTM D5293 Cold Cranking Viscosity Test.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



OFFICIAL
OIL
OFFICIAL

ULTIMATE
CALLOUT
CHALLENGE
ALLIGATOR
PERFORMANCE

AMSOIL
100% SYNTHETIC
DIESEL OIL
HEAVY-DUTY PROTECTION
4X
More Wear Protection
SAE 10W-30
ONE U.S. QUART - 946 mL

AMSOIL
RWDC



Heavy-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+
Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.¹ Provides up to 66% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQT	EA	1 Quart	5.85	8.20
ADNQT	CA	12 Quarts	66.50	96.55
ADN1G	EA	1 Gallon	22.85	31.95
ADN1G	CA	4 Gallons	86.95	126.05
ADNTP	EA	(1) 2.5 Gallon	56.00	77.35
ADNTP	CA	(2) 2.5 Gallons	106.60	152.70

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQT	EA	1 Quart	6.15	8.60
ADOQT	CA	12 Quarts	70.25	101.35
ADO1G	EA	1 Gallon	24.15	33.55
ADO1G	CA	4 Gallons	92.00	132.50
ADOTP	EA	(1) 2.5 Gallon	59.30	81.35
ADOTP	CA	(2) 2.5 Gallons	112.90	160.65

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQT	EA	1 Quart	5.90	8.30
ADPQT	CA	12 Quarts	67.30	97.60
ADP1G	EA	1 Gallon	23.10	32.30
ADP1G	CA	4 Gallons	88.00	127.50
ADPTP	EA	(1) 2.5 Gallon	56.65	78.25
ADPTP	CA	(2) 2.5 Gallons	107.90	154.50

¹than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 10W-30 as worst-case representation.

Like Series 3000?

Try Signature Series Max-Duty 5W-30 for a serious upgrade. See page 12.

HDD



CI-4+ Synthetic Diesel Oils

Provide outstanding protection for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQT	EA	1 Quart	10.00	13.30
HDDQT	CA	12 Quarts	114.05	157.65
HDD1G	EA	1 Gallon	39.30	52.05
HDD1G	CA	4 Gallons	149.55	206.45
HDDTP	EA	(1) 2.5 Gallon	97.05	126.90
HDDTP	CA	(2) 2.5 Gallons	184.80	251.75

AME



● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	EA	1 Quart	8.50	11.45
AMEQT	CA	12 Quarts	96.90	135.70
AME1G	EA	1 Gallon	33.25	44.75
AME1G	CA	4 Gallons	126.65	177.25
AMETP	EA	(1) 2.5 Gallon	82.05	108.90
AMETP	CA	(2) 2.5 Gallons	156.20	215.70

AMO



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	EA	1 Quart	9.05	12.15
AMOQT	CA	12 Quarts	103.20	143.70
AMO1G	EA	1 Gallon	35.50	47.45
AMO1G	CA	4 Gallons	135.05	187.95
AMOTP	EA	(1) 2.5 Gallon	87.55	115.50
AMOTP	CA	(2) 2.5 Gallons	166.70	228.90

ARO



● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	EA	1 Quart	9.15	12.25
AROQT	CA	12 Quarts	104.45	145.50
ARO1G	EA	1 Gallon	35.90	48.00
ARO1G	CA	4 Gallons	136.75	190.30

Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oiltesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT01	1 sample kit (includes two-way postage)	28.35	34.00
KIT02	1 sample kit (includes UPS shipping)	28.35	33.90
KIT06	1 sample kit	20.50	24.60
KIT14	1 value sample kit	15.70	19.15
G1206	Oil Suction Pump w/10-ft. hose	26.25	28.90
G1571	Replacement Hose 25-ft.	8.35	9.20

Oil Analyzers
INC.

SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QT	EA	1 Quart	9.80	13.90
AUV40QT	CA	12 Quarts	111.55	165.15

● 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QT	EA	1 Quart	10.05	14.25
AUV50QT	CA	12 Quarts	114.70	169.40

● Synthetic ATV/UTV Transmission & Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQT	EA	1 Quart	11.25	15.35
AUDTQT	CA	12 Quarts	128.40	182.40
AUDTPK	EA	1 Quart Easy-Pack	12.95	17.50
AUDTPK	CA	12 Quart Easy-Packs	147.70	208.20

● Synthetic ATV/UTV Powertrain Fluid¹³

Purpose-built for transmission/differentials and front drives in Polaris® ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	EA	1 Quart Easy-Pack	11.80	16.05
AUPTPK	CA	12 Quart Easy-Packs	134.80	190.65

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris® UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1	EA	1 kit	31.50	43.05
PK2	EA	1 kit	27.50	37.45
PK3	EA	1 kit	25.95	35.45

AUV40

AUV50



AUDT

AUPT



PK1



AFF



● Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQT	EA	1 Quart	10.35	13.70
AFFQT	CA	12 Quarts	118.00	162.70

¹³See page 51 for Proposition 65 information for this product.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.




SWAP
MOTO

RACE SERIES

AMSOIL delivers confident clutch feel.

AMSOIL provides excellent clutch protection[†]. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



[†]Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.

SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QT	EA	1 Quart	10.10	14.30
DB40QT	CA	12 Quarts	115.00	169.95

● 10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QT	EA	1 Quart	10.85	15.35
DB50QT	CA	12 Quarts	124.00	182.35

● 10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	1 Quart	11.15	15.70
DB60QT	CA	12 Quarts	127.30	186.90

● Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	EA	1 Quart	8.70	12.45
DBTFQT	CA	12 Quarts	98.95	147.75

SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

● Lightweight #5¹⁷

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	1 Quart	12.00	15.65
STLQT	CA	12 Quarts	136.75	186.55
STL05	EA	(1) 5-gal. Pail	222.60	299.20

● Medium #10¹⁷

Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	1 Quart	11.75	15.45
STMQT	CA	12 Quarts	134.00	183.10
STM05	EA	(1) 5-gal. Pail	218.05	293.55




[†]See page 51 for Proposition 65 information for this product.

AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson* SYN3* for **improved protection** against compensator and transmission gear wear.^{BB}

Viscosity Breakdown

% viscosity loss in the CEC L45-KRL, ASTM D445, test



^{BB}Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil purchased on 3/19/19 and Harley-Davidson Screamin' Eagle SYN3 purchased on 3/19/19 in the CEC L45-KRL, ASTM D445 test. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



SYNTHETIC V-TWIN MOTORCYCLE OIL

● 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQT	EA	1 Quart	10.25	13.60
MCVQT	CA	12 Quarts	116.90	161.45
MCV1G	EA	1 Gallon	40.25	53.35
MCV1G	CA	4 Gallons	153.30	211.55

● SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	1 Quart	11.15	14.70
MCSQT	CA	12 Quarts	126.95	174.50

● 20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQT	EA	1 Quart	10.15	13.50
MVIQT	CA	12 Quarts	115.95	160.30

● 15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	EA	1 Quart	11.40	15.50
MSVQT	CA	12 Quarts	129.95	184.45



MVT



● Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQT	EA	1 Quart	11.50	15.65
MVTQT	CA	12 Quarts	131.05	186.00

● Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQT	EA	1 Quart	10.20	13.95
MVPQT	CA	12 Quarts	116.10	165.75

MVP



HDCK

V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson* motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, AMSOIL Motorcycle Oil Filter and O-ring.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDCK	EA	1 kit	56.30	76.70
HDBK	EA	1 kit	53.50	73.10
HDMC	EA	1 kit	66.55	90.75
HDMB	EA	1 kit	63.75	87.15

FITMENT INFO:

HDCK, HDBK: most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

HDMC, HDMB: most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)



*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

SYNTHETIC METRIC MOTORCYCLE OIL

● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQT	EA	1 Quart	10.25	13.60
MCFQT	CA	12 Quarts	116.90	161.45
MCF1G	EA	1 Gallon	40.25	53.30
MCF1G	CA	4 Gallons	153.30	211.50

● 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	EA	1 Quart	9.85	13.10
MCTQT	CA	12 Quarts	112.35	155.55

● 15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati*, BMW, KTM*, Yamaha, Triumph and Royal Enfield* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MFFQT	EA	1 Quart	11.10	15.15
MFFQT	CA	12 Quarts	126.75	180.15



○ Formula 4-Stroke® Synthetic Scooter Oil¹³

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASOQT	EA	1 Quart	8.10	10.95
ASOQT	CA	12 Quarts	92.30	129.75

¹³See page 51 for Proposition 65 information for this product.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Briggs & Stratton, the world's largest small-engine manufacturer, chose AMSOIL to formulate the motor oil it recommends to protect its most demanding racing engines. Imagine what AMSOIL can do for you.

ACCEPT NO SUBSTITUTES.



GBS2960



● Briggs & Stratton Synthetic 4T Racing Oil¹⁷

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	EA	1 Quart	11.25	15.95
GBS2960	CA	12 Quarts	134.90	191.56

¹⁷See page 51 for Proposition 65 information for this product.



- Outboard • Inboard
- Inboard/Outboard (I/O) • Watercraft

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQT	EA	1 Quart	8.80	11.80
WCTQT	CA	12 Quarts	100.05	139.60

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQT	EA	1 Quart	9.50	12.65
WCFQT	CA	12 Quarts	108.05	149.95

● 25W-40 (Synthetic Blend)²³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQT	EA	1 Quart	7.25	10.10
WCMQT	CA	12 Quarts	82.55	119.70



● HP Marine™ Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQT	EA	1 Quart	8.30	11.20
HPMQT	CA	12 Quarts	94.50	132.65
HPM1G	EA	1 Gallon	32.45	43.70
HPM1G	CA	4 Gallons	123.50	173.20



Pete Maina
Pro Fisherman



RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at AMSOIL.com/freedom.

²³ See page 51 for Proposition 65 information for this product.

ATO



● Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil¹³

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATOBC	EA	(1) 8-oz. Bottle	4.20	5.70
ATOBC	CA	(12) 8-oz. Bottles	47.75	66.60
ATOQT	EA	1 Quart	11.35	14.95
ATOQT	CA	12 Quarts	129.35	177.60



OUTSTANDING PROTECTION FOR LOWER UNITS

● Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.^v Choose the easy-pack for fast, easy installation.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	EA	(1) 10-oz. Tube	6.25	8.40
AGMTB	CA	(6) 10-oz. Tubes	35.65	49.30
AGMQT	EA	1 Quart	10.10	13.40
AGMQT	CA	12 Quarts	115.15	159.30
AGMPK	EA	1 Quart Easy-Pack	11.80	15.45
AGMPK	CA	12 Quart Easy-Packs	134.30	183.95
AGM05	EA	(1) 5-gal. Pail	186.65	254.55



● Marine Gear Lube Pump²⁷

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK #	P.C. PRICE	FULL PRICE
G3456	10.10	11.10



Midwest Fishing Report
AMSOIL

www.amsoil.com/mfr

^{13, 27}See page 51 for Proposition 65 information for this product.

^vBased upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



Runs On Freedom™ Limited Snowmobile Warranty

Use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively in your current-model-year or newer sled and we'll cover engine repairs in the unlikely event of any engine breakdown for up to two years/5,000 miles.*

*To get details and register, visit AMSOIL.com/rof warranty.



● Synthetic 2-Stroke Injector Oil¹³

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQT	EA	1 Quart	7.05	9.90
AIOQT	CA	12 Quarts	80.50	117.10
AIO1G	EA	1 Gallon	27.75	38.80
AIO1G	CA	4 Gallons	105.65	153.45

MAXIMUM
RELIABILITY



● INTERCEPTOR® Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQT	EA	1 Quart	9.30	12.40
AITQT	CA	12 Quarts	105.85	147.20
AIT1G	EA	1 Gallon	36.40	48.55
AIT1G	CA	4 Gallons	138.60	192.55

Meets the performance requirements of Polaris®, Arctic Cat® and Ski-Doo® two-stroke snowmobiles.

AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles of abuse.^{CC}

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.



AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.



^{CC}Based upon use of a new 2019 Polaris® RMK® 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

TDR



Lincoln Lemieux
Team AMSOIL
Scheuring Speed Sports



● **DOMINATOR® Synthetic 2-Stroke Racing Oil¹³**

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQT	EA	1 Quart	9.75	12.95
TDRQT	CA	12 Quarts	111.05	154.00
TDR1G	EA	1 Gallon	38.25	50.85
TDR1G	CA	4 Gallons	145.55	201.60

MAXIMUM PERFORMANCE

● **Synthetic Chaincase & Gear Oil**

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCCN	EA	(1) 16-oz. Bottle	8.75	11.95
TCCCN	CA	(6) 16-oz. Bottles	49.95	70.90
TCC05	EA	(1) 5-gal. Pail	201.50	272.80



TCC



● **SABER® Professional Synthetic 2-Stroke Oil¹³**

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATPPK	EA	(1) 1.5-oz. Pillow Pack	1.20	1.80
ATPPK	CA	(48) 1.5-oz. Pillow Packs	53.25	79.40
ATPTS	EA	(1) 2.6-oz. Bottle	2.00	2.75
ATPTS	CA	(12) 2.6-oz. Bottles	22.35	31.50
ATPBA	EA	(1) 3.5-oz. Bottle	2.10	3.00
ATPBA	CA	(12) 3.5-oz. Bottles	24.00	33.95
ATPSF	EA	(1) 6.4-oz. Bottle	3.30	4.55
ATPSF	CA	(12) 6.4-oz. Bottles	37.35	53.15
ATPBC	EA	(1) 8-oz. Bottle	4.00	5.45
ATPBC	CA	(12) 8-oz. Bottles	45.55	63.75
ATPTE	EA	(1) 12.8-oz. Bottle	6.20	8.45
ATPTE	CA	(12) 12.8-oz. Bottles	70.80	99.75
ATPQT	EA	1 Quart	10.10	13.45
ATPQT	CA	12 Quarts	115.30	159.55
ATP1G	EA	1 Gallon	39.70	52.65
ATP1G	CA	4 Gallons	151.20	209.00

¹³See page 51 for Proposition 65 information for this product.

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

ATP



SABER® Ratio™
100:1... 1.3 oz. 1 GAL.

SABER Professional Fights Carbon

Equipment using SABER Professional was **96% carbon-free^N**.



AMSOIL SABER Professional
300 Hours
3.8% Screen Blockage

VS.



Leading Oil Brand
45 Hours
98% Screen Blockage

^NBased on spark-arrestor testing.

Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

○ 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AESQT	EA	1 Quart	7.35	10.05
AESQT	CA	12 Quarts	83.95	118.95

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASEQT	EA	1 Quart	7.35	10.05
ASEQT	CA	12 Quarts	83.95	118.95
ASE1G	EA	1 Gallon	28.75	39.15
ASE1G	CA	4 Gallons	109.45	154.90
ASE05	EA	(1) 5-gal. Pail	134.70	188.25

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	1 Quart	7.50	10.25
ASFQT	CA	12 Quarts	85.55	121.00
ASF1G	EA	1 Gallon	29.30	39.85
ASF1G	CA	4 Gallons	111.55	157.65
ASF05	EA	(1) 5-gal. Pail	137.30	191.60



AHF



● 20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid¹³

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AHFQT	EA	1 Quart	9.45	12.60
AHFQT	CA	12 Quarts	107.45	149.35
AHF1G	EA	1 Gallon	36.95	49.30
AHF1G	CA	4 Gallons	140.70	195.35
AHF05	EA	(1) 5-gal. Pail	173.80	238.10

¹³See page 51 for Proposition 65 information for this product.

Signature Series Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions. Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval—Miles



● Multi-Vehicle¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQT	EA	1 Quart	11.45	15.05
ATFQT	CA	12 Quarts	130.45	178.60
ATFPK	EA	1 Quart Easy-Pack	13.00	16.95
ATFPK	CA	12 Quart Easy-Packs	148.15	201.35
ATF1G	EA	1 Gallon	45.00	59.05
ATF1G	CA	4 Gallons	171.40	234.40
ATFTP	EA	(1) 2.5 Gallon	111.40	144.10
ATFTP	CA	(2) 2.5 Gallons	212.10	286.15



● Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQT	EA	1 Quart	11.85	15.50
ATLQT	CA	12 Quarts	135.00	184.35
ATLPK	EA	1 Quart Easy-Pack	13.50	17.50
ATLPK	CA	12 Quart Easy-Packs	153.95	208.75
ATL1G	EA	1 Gallon	46.60	60.95
ATL1G	CA	4 Gallons	177.45	242.10
ATLTP	EA	(1) 2.5 Gallon	115.40	148.85
ATLTP	CA	(2) 2.5 Gallons	219.75	295.65

¹⁷See page 51 for Proposition 65 information for this product.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

OTF



OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions.

● Multi-Vehicle¹⁷

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQT	EA	1 Quart	7.45	10.20
OTFQT	CA	12 Quarts	85.05	120.30
OTF1G	EA	1 Gallon	29.35	39.90
OTF1G	CA	4 Gallons	111.75	157.80
OTFTP	EA	(1) 2.5 Gallon	72.25	96.95
OTFTP	CA	(2) 2.5 Gallons	137.55	191.80

OTL



● Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	EA	1 Quart	7.25	9.95
OTLQT	CA	12 Quarts	82.70	117.30
OTL1G	EA	1 Gallon	28.55	38.85
OTL1G	CA	4 Gallons	108.60	153.70
OTLTP	EA	(1) 2.5 Gallon	70.20	94.45
OTLTP	CA	(2) 2.5 Gallons	133.65	186.80

CVT



● Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQT	EA	1 Quart	10.85	14.85
CVTQT	CA	12 Quarts	123.80	176.10
CVT1G	EA	1 Gallon	42.70	58.15
CVT1G	CA	4 Gallons	162.55	230.95

¹⁷See page 51 for Proposition 65 information for this product.

DCT



● 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	1 Quart	17.05	23.45
DCTQT	CA	12 Quarts	194.40	279.40

MTG



● Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	EA	1 Quart	14.35	18.60
MTGQT	CA	12 Quarts	163.50	221.10
MTGPK	EA	1 Quart Easy-Pack	15.95	20.60
MTGPK	CA	12 Quart Easy-Packs	182.05	244.95
MTG05	EA	(1) 5-gal. Pail	267.25	356.00
MTG55	EA	55-gal. Drum	2,780.70	3,449.60

MTF



● Synthetic Synchronesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	EA	1 Quart	12.30	16.15
MTFQT	CA	12 Quarts	140.50	191.80
MTF05	EA	(1) 5-gal. Pail	228.90	307.85
MTF55	EA	55-gal. Drum	2,359.10	2,960.00

¹⁵See page 51 for Proposition 65 information for this product.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

ART



● Super Shift® Racing Transmission Fluid¹⁷

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	1 Quart	11.15	14.70
ARTQT	CA	12 Quarts	126.95	174.25

ATD



● Torque-Drive® Synthetic Heavy-Duty Automatic Transmission Fluid¹⁷

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATD1G	EA	1 Gallon	45.45	59.55
ATD1G	CA	4 Gallons	173.05	236.45
ATDTP	EA	(1) 2.5 Gallon	112.50	145.40
ATDTP	CA	(2) 2.5 Gallons	214.20	288.70

ATH



● Synthetic Tractor/Hydraulic Transmission Oil¹³

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	1 Quart	9.25	12.35
ATHQT	CA	12 Quarts	105.40	146.60
ATH05	EA	(1) 5-gal. Pail	170.40	233.60
ATH30	EA	30-gal. Drum	963.90	1,256.75
ATH55	EA	55-gal. Drum	1,715.20	2,204.95

^{17, 13}See page 51 for Proposition 65 information for this product.



SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

● 75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQT	EA	1 Quart	13.90	18.05
SVGQT	CA	12 Quarts	158.65	215.05
SVGPK	EA	1 Quart Easy-Pack	13.90	18.05
SVGPK	CA	12 Quart Easy-Packs	158.65	215.05
SVG05	EA	(1) 5-gal. Pail	249.90	334.35

● 80W-90

Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	1 Quart	10.05	13.35
AGLQT	CA	12 Quarts	114.35	158.30
AGLPK	EA	1 Quart Easy-Pack	11.65	15.30
AGLPK	CA	12 Quart Easy-Packs	132.75	181.90
AGL05	EA	(1) 5-gal. Pail	176.15	241.25

● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	EA	1 Quart	14.35	18.60
SVTQT	CA	12 Quarts	163.80	221.70
SVTPK	EA	1 Quart Easy-Pack	16.05	20.70
SVTPK	CA	12 Quart Easy-Packs	183.30	246.75
SVT05	EA	(1) 5-gal. Pail	258.60	345.40

● 75W-140

Maximum viscosity protection for severe-duty applications


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQT	EA	1 Quart	15.55	20.10
SVOQT	CA	12 Quarts	177.70	239.60
SVOPK	EA	1 Quart Easy-Pack	15.55	20.10
SVOPK	CA	12 Quart Easy-Packs	177.70	239.60
SVO05	EA	(1) 5-gal. Pail	281.70	374.65

Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name. Not only an innovative oil, but innovative packaging as well.

— Joey
Calif.

Some gear lubes fail to meet basic low-temperature requirements.

Mobil 1* 75W-140 Gear Oil, for example, failed to meet the requirements of the industry standard.⁵ AMSOIL SEVERE GEAR®, on the other hand, delivers **20% more** cold-temperature protection than the standard requires.



⁵Based upon results of samples of Mobil 1 75W-140 and Valvoline SynPower 75W-140 purchased in 2018 and tested in ASTM D2983 by an independent testing facility in May 2018. Samples sent blind to eliminate bias. All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



SRT



FGR

● SEVERE GEAR® SAE 250 EP Synthetic Racing Gear Lube¹⁷

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	1 Quart	14.65	19.00
SRTQT	CA	12 Quarts	167.15	226.25
SRT05	EA	(1) 5-gal. Pail	273.30	364.35

● Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for over-the-road trucks and heavy equipment.

● 75W-90¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQT	EA	1 Quart	12.10	15.85
FGRQT	CA	12 Quarts	137.85	188.50
FGR1G	EA	1 Gallon	47.70	62.50
FGR1G	CA	4 Gallons	181.65	248.20
FGR05	EA	(1) 5-gal. Pail	224.45	302.45

● 80W-140¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGO05	EA	(1) 5-gal. Pail	214.20	289.65
FGO16	EA	16-gal. Keg	677.05	886.30
FGO30	EA	30-gal. Drum	1,226.95	1,572.90
FGO55	EA	55-gal. Drum	2,191.65	2,768.55




ADA

○ Slip Lock® Differential Additive²¹

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	EA	(1) 4-oz. Tube	7.30	9.40
ADATB	CA	(12) 4-oz. Tubes	83.30	111.20



Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	10.45	11.50
Flexible Pour Spout	G1230	0.70	0.80
Nozzle Dispenser Caps (6)	G1242	1.15	1.30



G2039

^{17, 13, 21}See page 51 for Proposition 65 information for this product.

99% Efficiency at 20 Microns

Filtering particles >20 microns fights engine wear.^{AA}

Challenger B

40 microns @

Challenger A

30 microns @



20 microns @

^{AA}In accordance with industry-standard ISO SO 4548-12.



Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 15,000 miles/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 25,000 miles/one year, whichever comes first, in normal service or 15,000 miles/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

STOCK#	UNITS	P.C. PRICE	FULL PRICE	STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	EA	16.80	21.25	EA15K32	EA	14.60	18.80
EA15K02	EA	17.10	21.60	EA034	EA	15.40	19.70
EA15K03	EA	15.65	19.80	EA15K35	EA	14.70	18.60
EA15K04	EA	16.30	20.55	EA15K37	EA	12.60	15.95
EA15K05	EA	15.75	19.90	EA15K38	EA	11.55	14.60
EA15K06	EA	13.65	17.35	EA15K39	EA	19.95	25.20
EA15K07	EA	11.55	14.65	EA042	EA	15.00	19.25
EA15K08	EA	17.35	21.95	EA15K43	EA	16.80	21.25
EA15K09	EA	15.60	20.05	EA15K49	EA	20.50	25.90
EA011	EA	14.35	18.45	EA15K50	EA	13.60	17.50
EA15K12	EA	14.05	17.95	EA15K51	EA	14.05	18.00
EA15K13	EA	14.80	18.90	EA052	EA	15.60	20.00
EA015	EA	15.50	19.90	EA15K53	EA	13.15	16.80
EA15K16	EA	14.70	18.65	EA15K54	EA	18.90	23.90
EA017	EA	14.20	18.25	EA055	EA	21.00	26.80
EA15K19	EA	14.70	18.95	EA059	EA	15.15	19.40
EA15K20	EA	15.40	19.70	EA064	EA	14.35	18.30
EA023	EA	14.35	18.40	EA080	EA	16.65	21.80
EA024	EA	15.65	19.95	EA15K88	EA	31.30	39.40
EA026	EA	17.00	21.85	EA098	EA	25.00	32.20
EA15K28	EA	14.70	18.60	EA099	EA	26.20	33.85
EA15K29	EA	14.90	19.05				

Which filter do I need?

Call 1-800-956-5695 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Oil Filters are available to Preferred Customers by the case. See page 3 for information on becoming a Preferred Customer.

Fill in your vehicle information. Then call 1-800-956-5695 (Monday - Friday, 7 a.m. - 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

Make _____ Year _____ Model _____ Engine _____

VIN _____

Your AMSOIL Oil Filter is _____

Your WIX Air Filter is _____



More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.



Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot. Provide an efficiency rating of 98.7 percent at two microns.



Ea® Universal Air Induction Filters

Available while supplies last

Fit most popular air intake systems on the market, providing improved cold air intake and excellent efficiency for superior engine protection and performance. Cleanable and remain serviceable for long filter life.



Ea Racing Air Filters

Available while supplies last

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.



Ea Pre-Filters

Available while supplies last

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.



Motorcycle Oil Filters

Most efficient filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

GRG



DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	EA	(1) 14-oz. Cartridge	11.55	15.75
GRGCR	CA	(10) 14-oz. Cartridges	112.55	152.45

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease¹⁶

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR1CR	EA	(1) 15-oz. Cartridge	7.85	10.85
GPOR1CR	CA	(10) 15-oz. Cartridges	77.35	103.90

Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR2CR	EA	(1) 15-oz. Cartridge	8.15	11.25
GPOR2CR	CA	(10) 15-oz. Cartridges	80.40	107.85

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and Equipment Grease²⁰

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR1CR	EA	(1) 14-oz. Cartridge	6.55	9.15
GPTR1CR	CA	(10) 14-oz. Cartridges	64.45	87.40

Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR2CR	EA	(1) 14-oz. Cartridge	7.15	9.90
GPTR2CR	CA	(10) 14-oz. Cartridges	70.15	94.70

^{16, 20}See page 51 for Proposition 65 information for this product.

GPOR1



GPOR2



GPTR1



GPTR2



GLC



Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 14-oz. Cartridge	6.90	9.60
GLCCR	CA	(10) 14-oz. Cartridges	66.05	91.30
GLC3P	EA	(3) 3-oz. Cartridges	8.50	11.55
GLC3P	CA	(30) 3-oz. Cartridges	81.15	109.20
GLCGN	EA	Grease Gun Kit	30.50	40.45



GLCGN

GLC3P



GWR



GWR3P



Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GWR3P	EA	(1) 14-oz. Cartridge	7.10	9.85
GWR3P	CA	(10) 14-oz. Cartridges	68.15	94.05
GWR3P	EA	(3) 3-oz. Cartridges	9.10	12.35
GWR3P	CA	(30) 3-oz. Cartridges	86.65	116.40

GXC



X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GXCCR	EA	(1) 14-oz. Cartridge	9.25	12.70
GXCCR	CA	(10) 14-oz. Cartridges	89.55	122.15

PCI



Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

● ISO 46, SAE 20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCIQT	EA	1 Quart	11.00	14.50
PCIQT	CA	12 Quarts	125.40	172.10
PCI05	EA	(1) 5-gal. Pail	203.70	275.45

● ISO 100, SAE 30/40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCKQT	EA	1 Quart	11.35	14.95
PCKQT	CA	12 Quarts	129.65	177.80
PCK05	EA	(1) 5-gal. Pail	210.80	284.80

● Gasoline Stabilizer¹³

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One ounce treats 2.5 gallons of fuel.



STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	EA	(1) 16-oz. Bottle	10.00	13.15
ASTCN	CA	(6) 16-oz. Bottles	57.05	78.15

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam[®] Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.*



Sea Foam



AMSOIL

*Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D663 part B.


¹³See page 51 for Proposition 65 information for this product.

UCL

● Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCN	EA	(1) 6-oz. Bottle	3.65	4.95
UCLCN	CA	(12) 6-oz. Bottles	41.60	57.65



Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas* and 20 percent more than Sea Foam* for better retention of horsepower and fuel economy.^R

^RBased on independent testing of AMSOIL Upper Cylinder Lubricant, Lucas Upper Cylinder Lubricant and Sea Foam Motor Treatment obtained on 02/13/2019 using the ASTM D6079 modified for use with gasoline. *All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

**INDUSTRY'S MOST
ADVANCED**
FORMULATION IMPROVES
FUEL ECONOMY




● **P.i.® 13**

Provides improved fuel mileage up to 5.7% and reduces emissions in gasoline direct-injected and port-fuel-injected engines. Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	EA	(1) 12-oz. Bottle	10.65	13.85
APICN	CA	(12) 12-oz. Bottles	121.25	164.65



Two of the four dirty injectors tested were fouled >15% and another was fouled >10%. After one tank of operation on AMSOIL P.i., all injectors returned to >95% flow.




Intake valve
before
P.i. treatment.



Intake valve
after
P.i. treatment.



Injector spray pattern **before**
P.i. treatment.



Injector spray pattern **after**
P.i. treatment.

¹³See page 51 for Proposition 65 information for this product.



Addresses Ethanol-Related Performance issues


DIRECTIONS: One bottle treats up to 6 gallons for cleanup and up to 12 gallons for continued protection. For best results use with every tank.

● **Quickshot®**

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCN	EA	(1) 8-oz. Bottle	7.85	10.35
AQSCN	CA	(6) 8-oz. Bottles	44.75	61.40
AQSQT	EA	1 Quart	25.40	32.15
AQSQT	CA	12 Quarts	290.15	384.35



Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.



MOB



AOB

● **DOMINATOR® Octane Boost²¹**

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AOBBE	EA	(1) 12-oz. Bottle	8.55	10.95
AOBBE	CA	(6) 12-oz. Bottles	48.70	64.85

● **Motorcycle Octane Boost²¹**

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 4-6 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCN	EA	(1) 4-oz. Bottle	4.25	5.45
MOBCN	CA	(12) 4-oz. Bottles	48.25	63.85



DRC



ADD

● **Diesel Recovery²¹**

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. One ounce treats up to 1 gallon of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQT	EA	(1) 30-oz. Bottle	11.50	15.05
DRCQT	CA	(12) 30-oz. Bottles	131.05	179.10

● **Diesel Cold Flow¹⁷**

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point, prevent wax settling and improve cold-flow filtration properties. Lowers cold filter-plugging point (CFPP) by up to 40°F (22°C) in ultra-low-sulfur diesel (ULSD). One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	EA	(1) 16-oz. Bottle	7.15	9.55
ADDCN	CA	(12) 16-oz. Bottles	81.20	113.10
ADD05	EA	(1) 5-gal. Pail	200.55	272.30

● **Diesel Cetane Boost**

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. One ounce treats up to 10 gallons of fuel.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACBCN	EA	(1) 16-oz. Bottle	7.30	9.75
ACBCN	CA	(12) 16-oz. Bottles	83.10	116.00
ACBHG	EA	(1) 64-oz. Bottle	23.60	31.15
ACBHG	CA	(6) 64-oz. Bottles	134.70	185.40
ACB05	EA	(1) 5-gal. Pail	201.70	274.85



ACB

²¹ See page 51 for Proposition 65 information for this product.

COLD FILTER-PLUGGING POINT (CFPP) (The lower the number, the better.)



Superior Cold-Temperature Protection

Provides as much as **32°F better protection** against cold-temperature gelling than Howes Lubricator Diesel Treat.^M Plus raises cetane up to 4 points.

ADB



● Diesel All-In-One²⁵

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. Protects against injector wear better than Sea Foam[®], delivering 2X more diesel fuel lubricity.^Y One ounce treats up to 2.5 gallons of fuel.

ADS



STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPNCN	EA	(1) 8-oz. Bottle	4.80	6.50
ADBPNCN	CA	(6) 8-oz. Bottles	27.15	38.35
ADBCN	EA	(1) 16-oz. Bottle	8.55	11.35
ADBCN	CA	(12) 16-oz. Bottles	97.35	134.40
ADBHG	EA	(1) 64-oz. Bottle	29.50	38.15
ADBHG	CA	(6) 64-oz. Bottles	168.40	228.00
ADB05	EA	(1) 5-gal. Pail	254.40	340.70

● Diesel Injector Clean + Cetane Boost²¹

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSPCN	EA	(1) 8-oz. Bottle	4.10	5.55
ADSPCN	CA	(6) 8-oz. Bottles	23.20	32.40
ADSCN	EA	(1) 16-oz. Bottle	10.45	13.75
ADSCN	CA	(12) 16-oz. Bottles	119.40	163.55
ADSHG	EA	(1) 64-oz. Bottle	34.30	44.10
ADSHG	CA	(6) 64-oz. Bottles	195.85	263.55
ADS05	EA	(1) 5-gal. Pail	298.50	397.05

● Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFPNCN	EA	(1) 8-oz. Bottle	3.75	5.25
ADFPNCN	CA	(6) 8-oz. Bottles	21.35	30.65
ADFCN	EA	(1) 16-oz. Bottle	6.65	8.95
ADFCN	CA	(12) 16-oz. Bottles	75.45	105.55
ADFHG	EA	(1) 64-oz. Bottle	21.85	28.70
ADFHG	CA	(6) 64-oz. Bottles	124.60	171.55
ADF05	EA	(1) 5-gal. Pail	181.40	248.00

UP TO 8%
FUEL ECONOMY IMPROVEMENT



¹⁹Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.

²¹Based upon independent testing of AMSOIL All-In-One obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased on Oct. 25, 2018 in the ASTM D6079 test.

²⁵See page 51 for Proposition 65 information for this product.

^YAll trademarks names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



● Chain Lube

Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACL4SC	EA	(1) 4.5-oz. Spray Can	5.25	6.90
ACL4SC	CA	(12) 4.5-oz. Spray Cans	59.85	81.35
ACLSC	EA	(1) 11-oz. Spray Can	8.85	11.70
ACLSC	CA	(6) 11-oz. Spray Cans	50.55	69.25



● Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	EA	(1) 12-oz. Aerosol Can	7.60	9.85
FOGSC	CA	(6) 12-oz. Aerosol Cans	43.30	58.35



● Power Foam®

Improves starting and performance by cleaning dirty intake systems and spark plugs, freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	EA	(1) 18-oz. Spray Can	8.35	11.00
APFSC	CA	(12) 18-oz. Spray Cans	94.45	130.15



● Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	EA	(1) 15-oz. Spray Can	11.05	14.20
ADGSC	CA	(12) 15-oz. Spray Cans	125.80	168.50



● Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard or fiberglass. Also excellent for waterproofing leather products. Hundreds of household uses.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	EA	(1) 10-oz. Spray Can	7.50	9.75
ALSSP	CA	(12) 10-oz. Spray Cans	85.70	115.60



● Mudslinger[®]

Provides a protective layer of armor against the accumulation of mud, dirt and snow on ATVs, UTVs and dirt bikes, easing clean-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMSSC	EA	(1) 12-oz. Spray Can	8.10	10.60
AMSSC	CA	(12) 12-oz. Spray Cans	92.40	125.55



Mudslinger makes an old machine look new again.



● Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime, making engines look new again.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AEDSC	EA	(1) 15-oz. Spray Can	6.90	9.00
AEDSC	CA	(12) 15-oz. Spray Cans	78.75	106.65



● Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGCSC	EA	(1) 19-oz. Spray Can	3.90	5.05
AGCSC	CA	(12) 19-oz. Spray Cans	44.05	58.70

²⁶See page 51 for Proposition 65 information for this product.

FLPSC



FLPBA



● Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBA	EA	(1) 4-oz. Bottle	7.75	10.50
FLPBA	CA	(12) 4-oz. Bottles	88.20	124.40
FLPSC	EA	(1) 5-oz. Spray Can	9.65	12.15
FLPSC	CA	(12) 5-oz. Spray Cans	110.25	143.80

FCPCN



FCPSC



● Firearm Cleaner and Protectant

Penetrates deep into hard-to-reach components, effectively cleaning fouling and powder residue from all firearm surfaces, safely protecting them for storage, reducing jamming and increasing reliability. Protects against corrosion, allowing for safe storage and preserving performance, reliability and value.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FCPSC	EA	(1) 5-oz. Spray Can	5.55	7.55
FCPSC	CA	(12) 5-oz. Spray Cans	63.00	89.05
FCPCN	EA	(1) 8-oz. Bottle	8.85	12.05
FCPCN	CA	(12) 8-oz. Bottles	100.80	142.90

"It's a great product to keep your firearms/shotguns in great working order & protect from our harsh weather elements."

– Steve
Pratts Fork, Ohio

AMP



● Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMP4SC	EA	(1) 4-oz. Spray Can	4.45	5.75
AMP4SC	CA	(12) 4-oz. Spray Cans	50.40	67.50
AMPSC	EA	(1) 8.75-oz. Spray Can	5.80	7.55
AMPSC	CA	(12) 8.75-oz. Spray Cans	66.15	89.10

AMH



● Heavy-Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMHSC	EA	(1) 15-oz. Spray Can	9.90	13.75
AMHSC	CA	(12) 15-oz. Spray Cans	113.00	162.80

FLSH



● Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	EA	(1) 16-oz. Bottle	9.35	12.30
FLSHCN	CA	(12) 16-oz. Bottles	106.75	146.60
FLSH05	EA	(1) 5-gal. Pail	287.20	381.90

RDCB



● DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	EA	(1) 16-oz. Bottle	9.95	13.00
RDCBCN	CA	(6) 16-oz. Bottles	56.65	77.20



● Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-weather protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	1 Gallon	29.95	41.65
ANT1G	CA	4 Gallons	114.05	164.85

● Passenger Car/Light Truck Antifreeze & Coolant¹⁵

Engineered to exceed original equipment manufacturer (OEM) requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	EA	1 Gallon	15.20	23.50
ANTPC1G	CA	4 Gallons	57.75	92.20

● AMSOIL Resists Corrosion

In independent, industry-standard testing, cast-iron and copper plates protected by AMSOIL showed virtually **no signs of corrosion**.^{HH}

^{HH}Based on results of the ASTM D2570 corrosion test.



● AMSOIL Resists Cavitation

In independent, industry-standard testing, cylinder liners protected by AMSOIL showed virtually **no signs of cavitation**.^I

^IBased on results of the ASTM D7583 cavitation test.



● Heavy-Duty Antifreeze & Coolant¹⁵

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	EA	1 Gallon	16.45	25.05
ANTHD1G	CA	4 Gallons	62.60	98.45

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	12.10	13.30
G1165	EA	6 Strips	4.50	4.95

¹⁵See page 51 for Proposition 65 information for this product.

BFLV



● DOT 3 & 4 Synthetic Brake Fluid¹¹

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	EA	(1) 12-oz. Bottle	6.05	8.00
BFLVCN	CA	(12) 12-oz. Bottles	69.10	94.25

BFR



● DOMINATOR DOT 4 Synthetic Racing Brake Fluid¹⁰

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFRCN	EA	(1) 12-oz. Bottle	11.40	16.05
BFRCN	CA	(12) 12-oz. Bottles	129.80	191.05

^{11,10}See page 51 for Proposition 65 information for this product.

BPC



● Brake and Parts Cleaner

Professional-strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	EA	(1) 19-oz. Spray Can	4.60	6.30
BPCSC	CA	(12) 19-oz. Spray Cans	52.15	73.80

PSF



● Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCN	EA	(1) 16-oz. Bottle	6.95	9.30
PSFCN	CA	(12) 16-oz. Bottles	79.25	110.25



Fluid Extraction Pump

STOCK#	P.C. PRICE	FULL PRICE
G2576	15.75	17.35

Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

¹³See page 51 for Proposition 65 information for this product.



● **Miracle Wash® Waterless Wash & Wax**

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	EA	(1) 13-oz. Spray Can	8.35	10.80
AMWSC	CA	(12) 13-oz. Spray Cans	95.35	128.00

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-956-5695 (Monday - Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).



The Company of **FIRSTS**

More than 45 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of “extended drain intervals” with a recommended 25,000-mile/12-month drain interval.

FIRST synthetic gear lube for automotive use.

FIRST synthetic motor oil for diesel engines.

FIRST synthetic motor oil for racing engines.

FIRST synthetic motor oil for turbocharged engines.

FIRST synthetic motor oil for marine engines.

FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.



CALIFORNIA PROPOSITION 65

WARNING STATEMENTS

- 10 ⚠️ WARNING:** This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 11 ⚠️ WARNING:** This product can expose you to 2-Methoxyethanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 13 ⚠️ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 15 ⚠️ WARNING:** This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 16 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Dibutyl phthalate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 17 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 19 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 20 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Dibutyl phthalate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 21 ⚠️ WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 23 ⚠️ WARNING:** This product can expose you to Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 25 ⚠️ WARNING:** This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 26 ⚠️ WARNING:** This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 27 ⚠️ WARNING:** This product can expose you to Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



The First in Synthetics®

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-956-5695. Credit card orders only. ▼

Referral # _____ **1973708**